




YARRA



Style Name:	Yarra	Caymus	Bluestone
Construction:	Multi-level loop	Multi-level loop	Multi-level loop
Yarn:	100% Plencolor Nylon6	100% Plencolor Nylon6	100% Plencolor Nylon6
Color System:	100% Solution Dyed	100% Solution Dyed	100% Solution Dyed
Gauge:	1/12	1/12	1/12
Stitches:	10 per inch	10 per inch	10 per inch
Pile Weight:	24 oz/yd ²	20 oz/yd ²	21 oz/yd ²
Pile Height:	3.2mm(±0.5mm)	2.5mm-5.5mm(±0.5mm)	2.5mm-5.5mm(±0.5mm)
Backing:	PVC with fiberglass	PVC with fiberglass	PVC with fiberglass
Tile Size:	50cm×50cm	50cm×50cm	50cm×50cm
Area of Use:	Heavy Commercial	Heavy Commercial	Heavy Commercial
Flammability:	Passes (ASTME648-10) Class I Passes (GB 8624-2012) B1	Passes (ASTME648-10) Class I Passes (GB 8624-2012) B1	Passes (ASTME648-10) Class I Passes (GB 8624-2012) B1
Smoke Density:	Passes ASTM E 662 Less than 450	Passes ASTM E 662 Less than 450	Passes ASTM E 662 Less than 450
Static Propensity:	Passes AATCC-134≤3.5kV	Passes AATCC-134≤3.5kV	Passes AATCC-134≤3.5kV

MIFLOR

MIFLOR



Yarra 1



Caymus 1

190-120mm





Yarra 3+5



Yarra 1+4




CAYMUS
YARRA
SUMYD



LIGHT AND SHADOW




YARRA SERIES




Yarra 2




Yarra 5




Yarra 3



Yarra 6




Yarra 4



Yarra 7


CAYMUS SERIES



Caymus 2




Caymus 5



Caymus 3



Caymus 6



Caymus 4



Caymus 7



Isolation
acoustique



Isolation
thermique



Chaise
roulantes



Anti-statique



Warranty
garantie






Anti-
flammabilité






Splash
Résistant



CAYMUS SERIES



YARRA SERIES



INSTALLATION METHODS

